



Cat[®] Performance Series Flat Floor Buckets

For Cat Medium Wheel Loaders

Cat[®] buckets are more than accessories, they are designed as extensions of your Cat Loader. Every model is matched to specific Cat machines, giving you the better fill, reduced fuel burn, and increased payloads. We built them to make you more productive in whatever task you need to do.

Not all attachments are available in all regions. Consult your Cat dealer for specific configurations available in your region.

Load More Material, Burn Less Fuel

- Designed to match specific machine models as a system, so you get the most out of your Cat Loader.
- Cat Performance Series buckets lower fuel consumption up to 7 percent.
- Fill times are improved by 3 to 5 seconds, every pass.
- Fill factors are 5 to 10 percent better in most materials, giving more payload in every bucket.
- Carry further with less spillage, thanks to optimized bucket-to-linkage geometry.

Easy to Operate

- Improved geometry gives the operator better visibility to the load.
- Easy-filling shape gives performance improvements regardless of operator skill level.
- Optional back-grading edge lets operators finish and clean, and still have penetrating teeth on the leading edge.

Durability Options

- PS Flat Floor buckets come in a range of configurations to match the task and machine. Models are available in both pin on and Fusion[™] Quick Coupler versions:
- Standard
 - Ideal for general material handling.
 - Equipped with HB400 wear strips and abrasion resistant edges and corners.
- Abrasion
 - Built to endure in abrasive materials – e.g. sand and rock.
 - Entire bucket is built from HB400, HB450, and HB500 equivalent steels.
- GC
 - Matched to GC machine capabilities.
 - Equipped with HB400 edges and corners.

Cat® Performance Series Flat Floor Buckets

Specifications														
Machine Model	Durability	Edge Arrangement	Capacity				Width				Weight			
			Minimum		Maximum		Minimum		Maximum		Minimum		Maximum	
			m ³	yd ³	m ³	yd ³	mm	in	mm	in	kg	lb	kg	lb
950GC	GC	Bolt-On Edge	3.1	4.0	3.3	4.25	2927	115	2927	115	1406	3,099	1448	3,192
		Adapters & Tips with Back Grading Edge	3.1	4.0	3.3	4.25	2995	117	2995	117	1966	4,334	1935	4,265
	Standard	Bolt-On Edge	3.1	4.0	3.6	4.75	2927	115	2927	115	1476	3,254	1575	3,472
		Adapters & Tips with Back Grading Edge	3.1	4.0	3.6	4.75	2995	117	2994	117	2027	4,468	2119	4,671
950/962	Standard	Bolt-On Edge	3.4	4.5	4.0	5.25	2927	115	2927	115	1712	3,774	1840	4,056
		Bolt-On Edge with Back Grading Edge	3.6	4.75	3.8	5.0	2930	115	2930	115	1942	4,281	2011	4,433
		Adapters & Tips with Back Grading Edge	3.4	4.5	4.0	5.25	2995	117	2995	117	2029	4,473	2259	4,980
	Abrasion	Bolt-On Edge	3.4	4.5	3.8	5.0	2927	115	2927	115	1717	3,785	1839	4,054
		Bolt-On Edge with Back Grading Edge	3.6	4.75	3.8	5.0	2930	115	2930	115	1945	4,287	2006	4,422
		Adapters & Tips with Back Grading Edge	3.4	4.5	3.8	5.0	2994	117	2995	117	2098	4,625	2197	4,843
966	Standard	Bolt-On Edge	4.2	5.5	4.8	6.25	2995	117	3220	126	2364	5,211	2363	5,209
		Bolt-On Edge with Back Grading Edge	4.6	6.0	4.6	6.0	2995	117	3240	127	2732	6,023	2780	6,128
		Adapters & Tips with Back Grading Edge	4.2	4.0	4.6	6.0	2995	117	2997	117	2027	4,468	3009	6,633
	Abrasion	Bolt-On Edge	4.2	5.5	4.6	6.0	2995	117	3220	126	2364	5,211	2316	5,105
		Bolt-On Edge with Back Grading Edge	4.2	5.5	4.6	6.0	2995	117	3220	126	2610	5,754	2779	6,126
		Adapters & Tips with Back Grading Edge	4.2	5.5	4.6	6.0	3017	118	3312	130	2921	6,439	3029	6,677
972	Standard	Bolt-On Edge	4.6	6.0	5.0	6.5	3220	126	3220	126	2259	4,980	2343	5,165
		Bolt-On Edge with Back Grading Edge	4.8	6.25	5.0	6.5	3240	127	3240	127	2755	6,073	2820	6,217
		Adapters & Tips with Back Grading Edge	4.8	6.25	5.0	6.5	3311	130	3312	130	3093	6,818	3093	6,818
	Abrasion	Bolt-On Edge	4.8	6.25	5.0	6.5	3267	128	3220	126	2341	5,161	2748	6,058
		Bolt-On Edge with Back Grading Edge	4.8	6.25	5.0	6.5	3220	126	3220	126	2761	6,086	2817	6,210
		Adapters & Tips with Back Grading Edge	4.8	6.25	4.8	6.25	3312	130	3312	130	3021	6,660	3021	6,660
980	Standard	Bolt-On Edge	5.7	7.5	5.7	7.5	3413	134	3413	134	3334	7,350	3334	7,350
982	Standard	Bolt-On Edge	6.4	8.25	6.4	8.25	3634	143	3634	143	4082	8,999	4082	8,999

Cat® Performance Series Flat Floor Buckets

Materials				
Bucket Durability	Configuration	Bolt-On Edge	Bolt-On Edge & Back Grading Edge	Adapters, Tips & Back Grading Edge
GC	Bucket Edge	HB400	N/A	HB400
	Back Grading Edge	—		HB450
	Moldboard	Structural Steel		Structural Steel
	Sideplates			HB400
	Sidebars			Structural Steel
	Side Wear Plates			HB400
	Bucket Underside			—
	Ski Plates			HB400
	Bottom Wear Strips	—		HB400
	Bottom Rear Wear Plates	Structural Steel		—
Standard	Bucket Edge	HB400	HB400	HB500
	Back Grading Edge	—	HB450	HB450
	Moldboard	Structural Steel	Structural Steel	Structural Steel
	Sideplates			
	Sidebars	HB400	HB400	HB400
	Side Wear Plates			
	Bucket Underside			
	Ski Plates			
	Bottom Wear Strips	Structural Steel	HB450	HB450
	Bottom Rear Wear Plates	HB400	—	—
Abrasion	Bucket Edge	HB400	HB400	HB500
	Back Grading Edge	-	HB500	
	Moldboard	HB400	HB400	HB400
	Sideplates			
	Sidebars	HB450	HB450	HB450
	Side Wear Plates			
	Bucket Underside	HB400	—	—
	Ski Plates			
	Bottom Wear Strips	HB450	HB500	HB500
	Bottom Rear Wear Plates	HB400	—	—

Cat® Performance Series Flat Floor Buckets

For more complete information on Cat products, dealer services, and industry solutions, visit us on the web at www.cat.com.

GEHQ9309-00 (05-2021)

© 2021 Caterpillar
All rights reserved

Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment.
See your Cat dealer for available options.

CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, Fusion, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

